

Government of the People's Republic of Bangladesh
Chemical Laboratory
Custom House, Chattogram.
Web: www.chc.gov.bd/reports
E-mail: chcchemi.laboratory@gmail.com

Scan
06 JUN 2021

Subject: Chemical Test Report.

Sample Received On: 04.01.2021


Sample Code No:

Date of Delivery:

Test Report No:

62

01	B/E No. & Date	:	C-1691680, Date-07.12.2020.
	File No. & Date	:	
02	Name of Section	:	Section-Jetty
03	Declared Commodity Name as per Invoice/CRF	:	Invoice Item Plated or Coated with Aluminium Zinc Alloy (S/Q) (Sample: 01 Piece)
04	Method of Test/Analysis	:	Phy. tests C/NAS test etc.
05	Physical & Chemical Properties & Ingredients Found	:	Flat rolled Non-alloy steel product. Coated on both side with zinc-aluminium alloy. Cold rolled. NAS test=+Ve Fe, C, Mn, Si, Al & Zn test=+Ve. Ingredients: Carbon, Manganese, Silicon, Zinc, Aluminium, Iron & others.
06	Result of Physical /Chemical Test/Analysis	:	The supplied sample is " Flat Rolled Product of Non-alloy Steel Coated with Aluminium-Zinc Alloy. "
07	Probable use of Imported Goods.	:	It may be used in various construction purposes.
08	Comments (If any)	a	
		b	
		c	


03.6.2021

Signature of Examiner
Md. Abdul Hannan
Chemical Examiner
Custom House, Chattogram.

- Notes:
- The results described here are based only on the supplied sample(s) in this laboratory.
 - Complain or query regarding test report(s) should be lodged within one month of report delivery date.
 - The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.
 - This report or any part of this should not be published without prior approval of the authority.