

Government of the People's Republic of Bangladesh  
Chemical Laboratory  
Custom House, Chattogram.  
Web: [www.chc.gov.bd/reports](http://www.chc.gov.bd/reports)  
E-mail: [chcchemi.laboratory@gmail.com](mailto:chcchemi.laboratory@gmail.com)

Scanned  
06 JUN 2021

**Subject: Chemical Test Report.**

Sample Received On: 04.01.2021


Sample Code No:

Date of Delivery:

Test Report No:

65

01	<b>B/E No. &amp; Date</b>	:	C-1605005, Date-21.11.2020.
	<b>File No. &amp; Date</b>	:	
02	<b>Name of Section</b>	:	Section-Jetty
03	<b>Declared Commodity Name as per Invoice/CRF</b>	:	Invoice Item Plated or Coated with Aluminium Zinc Alloy (S/Q) (Sample: 01 Piece)
04	<b>Method of Test/Analysis</b>	:	Phy. tests C/NAS test etc.
05	<b>Physical &amp; Chemical Properties &amp; Ingredients Found</b>	:	Flat rolled Non-alloy steel product. Coated on both side with zinc-aluminium alloy. Cold rolled. NAS test=+Ve Fe, C, Mn, Si, Al & Zn test=+Ve. <b>Ingredients:</b> Carbon, Manganese, Silicon, Zinc, Aluminium, Iron & others.
06	<b>Result of Physical /Chemical Test/Analysis</b>	:	The supplied sample is " <b>Flat Rolled Product of Non-alloy Steel Coated with Aluminium-Zinc Alloy.</b> "
07	<b>Probable use of Imported Goods.</b>	:	It may be used in various construction purposes.
08	<b>Comments (If any)</b>	a	
		b	
		c	

  
03.6.2021

**Md. Abdul Hannan**  
Chemical Examiner

Custom House, Chattogram.

- Notes: i. The results described here are based only on the supplied sample(s) in this laboratory.  
ii. Complain or query regarding test report(s) should be lodged within one month of report delivery date.  
iii. The laboratory is not responsible for the data quality affected due to sampling, transporting and storage conditions of the sample(s) maintained before received in the laboratory.  
iv. This report or any part of this should not be published without prior approval of the authority.